

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name **FIS VL 300 T**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses composite mortar

Recommended restrictions None under normal processing. Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG
Klaus-Fischer-Straße 1
D-72178 Waldachtal
Telephone : +49(0)7443 12-0
FAX : +49(0)7443 12-4222
Email : info-sdb@fischer.de
Internet : www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd, Hithercroft Road, Wallingford, Oxfordshire, OX10 9AT, Tel. 01491 827 920, Fax 01491 827 950

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317

2.2 Label elements

Hazard pictogram



GHS05



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label

Cement , portland , chemicals , tetramethyldimethacrylat , 2-hydroxypropyl methacrylate , dibenzoyl peroxide

H-statement(s)

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

P-statement(s)

H318: Causes serious eye damage.

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

Health hazard None known.

Particular information pertaining specific risk for human / environment None known.

Indication of danger None known.

Hazard precautions None known.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

| Ingredient | | Classification (EC) 1272/2008 | Concentration |
|------------------------------|--|---|-------------------------|
| Cement, portland, chemicals | CAS No. : 65997-15-1 EC-No. : 266-043-4 REACH No. : The substance does not require registration according to Regulation (EC) No 1207/2006 [REACH]. | Skin Irrit. 2;H315 Eye Dam. 1; H318 STOT SE 3;H335 | 10.0 – 25.0 % by weight |
| tetramethyldimethacrylat | CAS No. : 2082-81-7 EC-No. : 218-218-1 REACH No. : 01-2119967415-30 | Skin Sens. 1; H317 | 10.0 – 25.0 % by weight |
| 2-hydroxypropyl methacrylate | CAS No. : 27813-02-1 EC-No. : 248-666-3 REACH No. : 01-2119490226-37 | Skin Sens. 1; H317 Eye Irrit. 2; H319 | 2.5 – 10.0 % by weight |
| ethanediol, ethylene glycol | CAS No. : 107-21-1 EC-No. : 203-473-3 Index-No. : 603-027-00-1 REACH No. : 01-2119456816-28 | Acute Tox. 4; H302 STOT RE 2; H373 | < 2.5 % by weight |
| dibenzoyl peroxide | CAS No. : 94-36-0 EC-No. : 202-327-6 Index-No. : 617-008-00-0 REACH No. : 01-2119511472-50 | Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 | < 2.5 % by weight |

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|-------------------------|---|
| General advice | If symptoms persist, call a physician. Remove/Take off immediately all contaminated clothing. |
| If inhaled | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| In case of skin contact | IF ON SKIN: Gently wash with plenty of soap and water. |
| In case of eye contact | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| If swallowed | If swallowed, seek medical advice immediately and show this container or label. Clean mouth with water and drink afterwards plenty of water. Drink 1 or 2 glasses of water. Do NOT induce vomiting. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------|-------------|
| Symptoms | None known. |
|----------|-------------|

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|-------------------|
| Immediate medical attention | No data available |
| Special medical treatment | No data available |

SECTION 5: Firefighting measures

5.1 Extinguishing media

| | |
|------------------------------|---|
| Suitable extinguishing media | Carbon dioxide (CO2) Dry powder Foam Water spray jet |
|------------------------------|---|

| | |
|---|-----------------------|
| Extinguishing media which must not be used for safety reasons | High volume water jet |
|---|-----------------------|

5.2 Special hazards arising from the substance or mixture

| | |
|---|--|
| Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases | Heating or fire can release toxic gas. |
|---|--|

5.3 Advice for firefighters

| | |
|---|---|
| Special protective equipment for firefighting | In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes. |
|---|---|

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

Additional information on fire-fighting Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.
Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or the soil.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.
Treat recovered material as described in the section "Disposal considerations".

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling None under normal processing.
Caution: During machining in cured state dust is formed.

Advice on protection against fire and explosion No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements Keep containers tightly closed in a cool, well-ventilated place.
Store in accordance with local regulations.
Keep only in original container.

Hints on storage assembly Store in accordance with the particular national regulations.

German storage class 10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) composite mortar
Further information: see technical data sheet.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Cement, portland, chemicals

Great Britain

| Long-term exposure value/ mg/m ³ | Remarks | Source |
|---|-----------------|--------|
| 10 | inhalable dust | 100 |
| 4 | respirable dust | 100 |

Source : 100 - Company data

ethanediol, ethylene glycol

Great Britain

| Long-term exposure value/ ppm | Long-term exposure value/ mg/m ³ | Short-term exposure value / ppm | Short-term exposure value / mg/m ³ | Remarks | Source |
|-------------------------------|---|---------------------------------|---|--|--------|
| | 10 | | | particulate; Can be absorbed through the skin. | 19 |
| 20 | 52 | 40 | 104 | vapour; Can be absorbed through the skin. | 19 |

Source : 19 - EH40/2005 Workplace exposure limits (2011)

Europe

| Long-term exposure value/ mg/m ³ | Long-term exposure value/ ppm | Short-term exposure value / mg/m ³ | Short-term exposure value / ppm | Note | Issuing date | Source |
|---|-------------------------------|---|---------------------------------|------|--------------|--------|
| 52 | 20 | 104 | 40 | Skin | 2000/39 | 24 |

Source : 24 - DIRECTIVE 2009/161/EU

dibenzoyl peroxide

Great Britain

| Long-term exposure value/ mg/m ³ | Remarks | Source |
|---|------------|--------|
| 5 | R2, 36, 43 | 100 |

Source : 100 - Company data

8.2 Exposure controls

Respiratory protection

No personal respiratory protective equipment normally required.

Hand protection

not required under normal use

Suitable material :

butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material :

PVC disposable gloves

Material thickness :

adjust to application and duration of use

Break through time :

adjust to application and duration of use

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Reference substance : Replace when worn.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

General protective and hygiene measures Smoking, eating and drinking should be prohibited in the application area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Use protective skin cream before handling the product.

Information on environmental protection regulations No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|-------------------|
| Form | paste |
| Colour | grey |
| Odour | characteristic |
| Odour threshold | not determined |
| pH | No data available |
| Melting point [°C] / Freezing point [°C] | No data available |
| Boiling point [°C] | no data available |
| Flash point [°C] | > 100 |
| Evaporation rate [kg/(s*m ²)] | No data available |
| Flammability (solid, gas) | No data available |
| Explosion limits [Vol-%] | |
| Lower limit : | not determined |
| Upper limit : | not determined |
| Vapour pressure [kPa] | No data available |
| Vapour density | No data available |

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

| | |
|---|--------------------|
| Density [g/cm ³] | 1,7 - 1,9 |
| Temperature : | 20 °C |
| Relative density | No data available |
| Solubility | No data available |
| Water solubility [g/l] | not determined |
| Solubility [g/l] | No data available |
| Partition coefficient n-octanol / water (log P O/W) | No data available |
| Autoinflammability | not auto-flammable |
| Decomposition temperature [°C] | not determined |
| Viscosity, dynamic [kg/(m*s)] | 90 - 150 |
| Temperature : | 20 °C |
| Explosive properties | Not explosive |
| Risk of explosion. | Not explosive |
| Oxidising properties | No |

9.2 Other information

Relative vapour density (air=1) not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid Not applicable.

10.6 Hazardous decomposition products

Hazardous decomposition products No decomposition if used as directed.

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

Cement, portland, chemicals

| Oral toxicity [mg/kg] | Test criterion | Remarks | Source |
|-----------------------|----------------|------------------|--------|
| > 2000 | LD50 | literature value | 100 |

Source : 100 - Company data

| Dermal toxicity [mg/kg] | Test criterion | Test species | Remarks | Source |
|-------------------------|----------------|--------------|-----------------------|--------|
| > 2000 | LD50 | rabbit | Limit test 2000 mg/kg | 100 |

Source : 100 - Company data

| Inhalative toxicity [mg/l] | Test criterion | Test species | Note | Source |
|----------------------------|----------------|--------------|-------------------------------|--------|
| > 5 | LC50 | rat | Limit Test 5 g/m ³ | 100 |

Source : 100 - Company data

Sensitization May cause an allergic skin reaction.

Carcinogenic effects Not applicable.

Mutagenicity Not applicable.

Reproduction toxicity Not applicable.

Caustic effect No data available

| Specific target organ toxicity (single exposure) [mg/kg] | Specific effects | Source |
|--|--|--------|
| | Irritating to respiratory system. (dust) | 100 |

Source : 100 - Company data

| Specific target organ toxicity (repeated exposure) [mg/kg] | Remarks | Source |
|--|-----------------|--------|
| | Not applicable. | 100 |

Source : 100 - Company data

Tetramethylen dimethacrylate

| Oral toxicity [mg/kg] | Test criterion | Test species | Source |
|-----------------------|----------------|--------------|--------|
| > 2000 | LD50 | rat | 100 |

Source : 100 - Company data

| Dermal toxicity [mg/kg] | Test criterion | Test species | Source |
|-------------------------|----------------|--------------|--------|
| > 3000 | LD50 | rabbit | 100 |

Source : 100 - Company data

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

| Inhalative toxicity [mg/l] | Source |
|----------------------------|--------|
| No data available | 100 |

Source : 100 - Company data

| | |
|-----------------------|---|
| Sensitization | Skin sensitizer |
| Carcinogenic effects | Contains no ingredient listed as a carcinogen |
| Mutagenicity | Not applicable. |
| Reproduction toxicity | Not applicable. |
| Caustic effect | Not applicable. |

| Specific target organ toxicity (single exposure) [mg/kg] | Specific effects | Source |
|--|------------------|--------|
| | none | 100 |

Source : 100 - Company data

| Specific target organ toxicity (repeated exposure) [mg/kg] | Specific effects | Source |
|--|------------------|--------|
| | none | 100 |

Source : 100 - Company data

2-hydroxypropyl methacrylate

| Oral toxicity [mg/kg] | Test criterion | Test species | Remarks | Source |
|-----------------------|----------------|--------------|----------------------|--------|
| > 2000 | LD50 | rat | OECD 401 Limit Test. | 100 |

Source : 100 - Company data

| Dermal toxicity [mg/kg] | Test criterion | Test species | Source |
|-------------------------|----------------|--------------|--------|
| > 5000 | LD50 | rabbit | 100 |

Source : 100 - Company data

| Inhalative toxicity [mg/l] | Source |
|----------------------------|--------|
| No data available | 100 |

Source : 100 - Company data

| | |
|-----------------------|----------------------------------|
| Sensitization | Skin sensitizer |
| Carcinogenic effects | Not applicable. |
| Mutagenicity | Not applicable. |
| Remarks | OECD 471 (Ames Test) / OECD 476. |
| Reproduction toxicity | Not applicable. |
| Remarks | OECD 422. |
| Caustic effect | Not applicable. |

| Specific target organ toxicity (single exposure) [mg/kg] | Remarks | Source |
|--|-----------------|--------|
| | Not applicable. | 100 |

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

Source : 100 – Company data

| Specific target organ toxicity (repeated exposure) [mg/kg] | Remarks | Source |
|--|-----------------|--------|
| | Not applicable. | 100 |

Source : 100 – Company data

ethanediol, ethylene glycol

| Oral toxicity [mg/kg] | Source |
|-----------------------|--------|
| Harmful if swallowed. | 100 |

Source : 100 – Company data

| Dermal toxicity [mg/kg] | Test criterion | Test species | Source |
|-------------------------|----------------|--------------|--------|
| > 3500 | LD50 | rabbit | 100 |

Source : 100 – Company data

| Inhalative toxicity [mg/l] | Test criterion | Test species | Note | Exposure duration | Source |
|----------------------------|----------------|--------------|--------------|-------------------|--------|
| > 2,5 | LC50 | rat | (as aerosol) | 6 h | 100 |

Source : 100 – Company data

Sensitization not sensitising.
Carcinogenic effects Contains no ingredient listed as a carcinogen
Mutagenicity Not applicable.
Reproduction toxicity Not applicable.
Caustic effect No data available

| Specific target organ toxicity (repeated exposure) [mg/kg] | Route of exposure | Organs affected | Specific effects | Source |
|--|-------------------|---|---|--------|
| | Ingestion | Causes damage to kidneys if swallowed. | Causes damage to organs through prolonged or repeated exposure. | 100 |
| | Skin contact | May cause damage to kidneys in contact with skin. | Causes damage to organs through prolonged or repeated exposure. | 100 |

Source : 100 – Company data

dibenzoyl peroxide

| Oral toxicity [mg/kg] | Test criterion | Test species | Source |
|-----------------------|----------------|--------------|--------|
| > 5000 | LD50 | rat | 100 |

Source : 100 – Company data

| Inhalative toxicity [mg/l] | Test criterion | Test species | Note | Source |
|----------------------------|----------------|--------------|--------|--------|
| 24300 | LC50 | rat | (dust) | 100 |

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

Source : 100 – Company data

Irritant effect on skin Irritating to skin and mucous membranes

Irritant effect on eyes Irritating to eyes.

11.2 Additional information

Other information (chapter 11.) The product itself has not been tested.

SECTION 12: Ecological information

12.1 Toxicity

Hazardous ingredients

Cement, portland, chemicals

| Toxicity to fish [mg/l] | Test criterion | Source |
|-------------------------|----------------|--------|
| > 100 | LC50 | 100 |

Source : 100 – Company data

| Toxicity to daphnia [mg/l] | Test criterion | Test species | Source |
|----------------------------|----------------|----------------------------|--------|
| > 100 | LC50 | Daphnia magna (Water flea) | 100 |

Source : 100 – Company data

| Toxicity to algae [mg/l] | Test criterion | Source |
|--------------------------|----------------|--------|
| > 100 | EC50 | 100 |

Source : 100 – Company data

Biodegradability Not applicable. (inorganic)

Tetramethylen dimethacrylate

| Toxicity to fish [mg/l] | Test criterion | Measuring method | Exposure duration | Source |
|-------------------------|----------------|------------------|-------------------|--------|
| 32,5 | LC50 | DIN 38412 | 48 h | 100 |

Source : 100 – Company data

| Toxicity to algae [mg/l] | Test criterion | Test species | Measuring method | Source |
|--------------------------|----------------|---|-------------------------|--------|
| 9,79 | EC50 | Scenedesmus capricornutum (fresh water algae) | OECD Test Guideline 201 | 100 |

Source : 100 – Company data

| NOEC (daphnia) [mg/l] | Test species | Measuring method | Source |
|-----------------------|---------------------------------|------------------|--------|
| 7,51 | Daphnia magna (Big water flea). | OECD 211 | 100 |

Source : 100 – Company data

Biodegradability Readily biodegradable.

Ready degradability

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

2-hydroxypropyl methacrylate

| Toxicity to fish [mg/l] | Test criterion | Test species | Measuring method | Exposure duration | Source |
|-------------------------|----------------|------------------------------|------------------|-------------------|--------|
| 493 | LC50 | Leuciscus idus (Golden orfe) | DIN 38412 | 48 h | 100 |

Source : 100 - Company data

| Toxicity to daphnia [mg/l] | Test criterion | Test species | Exposure duration | Measuring method | Source |
|----------------------------|----------------|----------------------------|-------------------|-------------------------|--------|
| > 130 | EC50 | Daphnia magna (Water flea) | 48 h | OECD Test Guideline 202 | 100 |

Source : 100 - Company data

| Toxicity to algae [mg/l] | Test criterion | Test species | Exposure duration | Measuring method | Source |
|--------------------------|----------------|---------------------------|-------------------|-------------------------|--------|
| > 97,2 | EC50 | Selenastrum capricornutum | 72 h | OECD Test Guideline 201 | 100 |

Source : 100 - Company data

| NOEC (daphnia) [mg/l] | Test criterion | Test species | Measuring method | Exposure duration | Source |
|-----------------------|----------------|---------------------------------|------------------|-------------------|--------|
| 24,1 | NOEC | Daphnia magna (Big water flea). | OECD 202 | 21 d | 100 |

Source : 100 - Company data

Biodegradability Readily biodegradable.

Ready degradability

ethanediol, ethylene glycol

| Toxicity to fish [mg/l] | Test criterion | Test species | Exposure duration | Source |
|-------------------------|----------------|--|-------------------|--------|
| 72860 | LC50 | Pimephales promelas (Pimephales promelas (fathead minnow)) | 96 h | 100 |

Source : 100 - Company data

| Toxicity to daphnia [mg/l] | Test criterion | Test species | Exposure duration | Source |
|----------------------------|----------------|----------------------------|-------------------|--------|
| > 100 | EC50 | Daphnia magna (Water flea) | 48 h | 100 |

Source : 100 - Company data

| Toxicity to algae [mg/l] | Test criterion | Test species | Exposure duration | Source |
|--------------------------|----------------|---------------------------|-------------------|--------|
| > 6500 | EC50 | Selenastrum capricornutum | 96 h | 100 |

Source : 100 - Company data

| NOEC (fish) [mg/l] | Test criterion | Test species | Exposure duration | Source |
|--------------------|----------------|--------------------------------------|-------------------|--------|
| 15380 | NOEC | Pimephales promelas (fathead minnow) | 7 d | 100 |

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

Source : 100 – Company data

| NOEC (daphnia) [mg/l] | Test criterion | Exposure duration | Source |
|-----------------------|----------------|-------------------|--------|
| 8590 | NOEC | 7 d | 100 |

Source : 100 – Company data

Biodegradability 90 – 100 %

Ready degradability

dibenzoyl peroxide

| Toxicity to fish [mg/l] | Test criterion | Exposure duration | Source |
|-------------------------|----------------|-------------------|--------|
| 0,06 | LC50 | 96 h | 100 |

Source : 100 – Company data

| Toxicity to daphnia [mg/l] | Test criterion | Test species | Exposure duration | Source |
|----------------------------|----------------|----------------------------|-------------------|--------|
| 0,11 | EC50 | Daphnia magna (Water flea) | 48 h | 100 |

Source : 100 – Company data

| Toxicity to algae [mg/l] | Test criterion | Exposure duration | Source |
|--------------------------|----------------|-------------------|--------|
| 0,06 | EC50 | 72 h | 100 |

Source : 100 – Company data

Ready degradability

12.2 Persistence and degradability

Elimination and distribution mechanisms There is no data available for this product.

Elimination in purification plant There is no data available for this product.

12.3 Bioaccumulative potential

Bioaccumulation There is no data available for this product.

Bioconcentration factor (BCF) There is no data available for this product.

12.4 Mobility in soil

Distribution in the environment There is no data available for this product.

Mobility

Mobility : There is no data available for this product.

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

12.6 Other adverse effects

Further information on ecology The product itself has not been tested.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations The product should not be allowed to enter drains, water courses or the soil.
Dispose of waste according to applicable legislation.
Empty remaining contents.

Waste Code According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
The following Waste Codes are only suggestions:
Product (Mortar and Curing agent)
200127 – paint, inks, adhesives and resins containing dangerous substances
080409 – waste adhesives and sealants containing organic solvents or other dangerous substances
cured material and completely squeezed cartridges
200000 – MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

SECTION 14: Transport information

| | Land transport ADR/RID | Marine transport IMDG | Air transport ICAO/IATA |
|---------------------------------|------------------------------------|-------------------------------------|-------------------------------------|
| 14.1 UN-No | Not applicable. | Not applicable. | Not applicable. |
| 14.2 Description of the goods | No dangerous good according to ADR | No dangerous good according to IMDG | No dangerous good according to IATA |
| 14.2 UN proper shipping name | | Non dangerous good | Non dangerous good |
| 14.3 Transport hazard class(es) | Not applicable. | Not applicable. | Not applicable. |
| 14.4 Packaging group | Not applicable. | Not applicable. | Not applicable. |
| 14.5 Environmental hazards | Not applicable. | Not applicable. | Not applicable. |
| Danger releasing substance | Not applicable. | Not applicable. | Not applicable. |

14.6 Special precautions for user

Precautions not required under normal use

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en

fischer 
innovative solutions

Replaces version from : 20.11.2015

Print date : 05.04.2017

14.8 Additional information

Other information (chapter 14.) Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Decopaint regulation Exempt

Carcinogenic hazardous substance as per Annex II GefStoffV no

Restriction of occupation. Exempt

Water Hazard Class (Ger.) 1

Classification in compliance with the Industrial Safety Regulation Exempt

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mixture were not carried out.

Additional regulations Not applicable.

SECTION 16: Other information

Relevant H-phrases
H241: Heating may cause a fire or explosion.
H302: Harmful if swallowed.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H373: May cause damage to organs through prolonged or repeated exposure .
H400: Very toxic to aquatic life.

Wording of the hazard classes
Skin Irrit.: Skin irritation
Eye Dam.: Serious eye damage
Skin Sens.: Skin sensitization
STOT SE: Specific target organ toxicity – single exposure
Eye Irrit.: Serious eye irritation
Acute Tox.: Acute toxicity
STOT RE: Specific target organ toxicity – repeated exposure
Org. Perox.: Organic peroxide
Aquatic Acute: Hazardous to the aquatic environment

Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FIS VL 300 T

Revision Date : 29.03.2017

Version : 1.1 /en



Replaces version from : 20.11.2015

Print date : 05.04.2017

Classification for mixtures
and used evaluation method
according to regulation (EC)
1272/2008 [CLP]

| Classification | Evaluation |
|---------------------|------------|
| Skin Irrit. 2; H315 | Calculated |
| Eye Dam. 1; H318 | Calculated |
| Skin Sens. 1; H317 | Calculated |

Recommended restrictions None under normal processing. Observe technical data sheet.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.